

Distributed by: **NEWPORT-FERSAN (JAMAICA) LTD**

2a/b Wherry Wharf, Kingston 15, Jamaica W.I. Tel: (876) 967-5815 | Fax: (876) 948-9078

Manufactured by PARIJAT INDUSTRIES PVT. LTD

M-77, I & II Floor, M-Block Market Greater Kailash-II, New Delhi-110 048, India

PRECAUTIONS: Do not eat, drink, or smoke while using this product. Harmful if swallowed. Causes moderate eye irritation. May be harmful if absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Do not

through skin or inhaled. Do not get in eyes, on skin or on clothing. Do not ingest this product or inhale vapours or spray mist. ENVIRONMENTAL EFFECTS: This product is toxic to aquatic animals. Do not use or dispose of within 100 m of water bodies/waterways.

STORAGE AND DISPOSAL: Store this product in the original labelled container. Keep container tightly closed in a secure, locked area, away from children and domestic animals. Ensure adequate exhaust ventilation. Do not store near food or animal feed. Do not contaminate water by use, storage or disposal of product or container. Do not re-use empty containers. Triple rinse empty containers and add rinse water to the spray mixture. Crush or puncture rinsed containers and dispose of in a safe place. Dispose of any excess spray mixture by spraying evenly over the headland of field away from water source. In case of spill or leak of undiluted product, absorb with soil or other inert absorbent material immediately. Dispose of waste from clean-up in an approved area.

Skin Contact: Remove contaminated clothing and wash with soap and water. Eye Contact: Flush with plenty of clean water immediately for at least 15 minutes. If present, remove contact lenses after first 5 minutes, then continue rinsing eye. Seek medical attention immediately Inhalation: Remove exposed person to fresh air. If person is not breathing give artificial respiration. Seek medical attention. Never give anything by mouth to an unconscious person.

Ingestion: Person should sip a glass of water if able to swallow. Do not induce vomiting unless directed by physician. Do not give fluids by mouth to an unconscious person Seek medical attention immediately.

Note to Physician: Treat symptomatically also contact Caribbean Poison Information Network (CARPIN): 1 888 764 7667 or (876) 927-1680 ext. 2300 or 618-1152

Expiration: Batch Code:

PCA Registration:

CLEAR-WEH

[Wettable Powder] Contact &Systemic Fungicide **Chemical Composition:**

Active Ingredient:	w/v
Carbendazim	
Mancozeb	74.12 %
MancozebInert Ingredients:	13.63 %
Total:	100.0 %
VEED OUT OF DEACH OF CHIL	DDEN:

KEEP OUT OF REACH OF CHILDREN. READ LABEL AND LEAFLET COMPLETELY BEFORE USE

RECOMMENDED USES: CLEAR-WEH is a broad spectrum, systemic fungicide with protective and curative actions against a wide range of fungal diseases

RESISTANCE MANAGEMENT: CLEAR-WEH is a mixture of carbendazim and management: CLEAR-WEH is a mixture of Carbendazim and manacozeb fungicides. Pathogens may be naturally resistant to CLEAR-WEH and other Groups of fungicides. The resistant pathogens can eventually dominate the population if these fungicides are used repeatedly. CLEAR-WEH or any other fungicide from the same groups may not control these resistant pathogens. Do not exceed label recommendations for application and application frequency.

PROTECTIVE GEAR: When mixing or applying, wear suitable protective clothing and equipment such as, chemical resistant gloves, rubber boots, protective eye wear, respirator and long sleeve coveralls. Remove protective clothing and wash hands and face thoroughly before meals and after work. MIXING: Half fill the spray tank with water and add the required amount of product to the water, while agitating add the remaining water. Maintain agitation during mixing and application. The prepared spray mixture must not be left in the spray tank for extended periods, e.g. overnight. See table for additional directions.

COMPATIBILITY: Conduct a physical compatibility test prior to the tank mixture being made.

Upon purchase or use of this product, purchaser and user agree to terms of

Upon purchase or use of this product, partitions and the exclusive remedy of the user or buyer, and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product (including claims based in contract, negligence, strict liability, other tort or otherwise) shall be the purchase price paid by the user or buyer for the quantity of this product involved, or, at the election of this company or any other seller, the replacement of such quantity, or, if not acquired by purchase, replacement of such quantity, in no event shall this company or any other seller be liable for any incidental, consequential or special damages.

PRF-HARVEST INTERVAL: See leaflet

RE-ENTRY INTERVAL: 48 hours

Target Pests and Crops

Crop	Pest	Dose Rate gram (g) /Ha	Spray Volume/Ha	PHI (days)
				10
Tomato	Fusarium, Early bight, Septoria leaf spot, Anthracnose	650-750		
Pepper	Powdery mildew, fruit rot	650-750	For Vegetable crops 500-600L/ha	8
				45
Cotton	Anthracnose, Alternaria leaf spot, Helminthosporium leaf spot	650-750		
Peanut	leaf spot, Rust	650-750		72
Okra	Powdery mildew, Cercospora leaf spot	750 - 1000		10
Onion, Garlic	Purple blotch	750 - 1000	Other Crops:900-1000L/Ha	15
Potato	Late blight, early blight	750 - 1000		47
Rice	Brown leaf spot	650-750		57
Pomegranate	Fruit spot	650-750		22
				7
Grape	Downey mildew, Powdery mildew, Anthracnose	750-800		
Mango, Avocado	Anthracnose	750-800		7

















